



# SAFETY DATA SHEET

4910 Heavy-Duty Varnish - Transparent Base

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

**Product name** : 4910 Heavy-Duty Varnish - Transparent Base  
**Product description** : Varnish.  
**Product type** : Liquid.  
**UFI** : 91K0-E0GD-R009-RYFD

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

| Identified uses                    |   |
|------------------------------------|---|
| Industrial use<br>Professional use |   |
| Uses advised against               | Reason                                    |
| Consumer use                       | Product is not intended for consumer use. |

### 1.3 Details of the supplier of the safety data sheet

RUST-OLEUM EUROPE  
Martin Mathys NV, Kolenbergstraat 23, B-3545 Zelem, Belgium  
Telephone no.: +32 (0) 13 460 200  
Fax no.: +32 (0) 13 460 201

Tor Coatings Limited  
Unit 21, White Rose Way, Follingsby Park, Gateshead, Tyne & Wear, NE10 8YX United Kingdom  
Telephone no.: +44 (0) 191 4106611  
Fax no.: +44 (0) 191 4920125  
enquiries@tor-coatings.com

**e-mail address of person responsible for this SDS** : rpmeurohas@rustoleum.eu

### 1.4 Emergency telephone number

**National advisory body/Poison Centre**

**Supplier**

Telephone number United Kingdom: : +44 870 8200418 / +44 2038073798  
Great Britain  
Hours of operation : 24 / 7

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

**Product definition** : Mixture

**Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]**

Not classified.

The product is not classified as hazardous according to Regulation (EC) 1272/2008 as amended.  
See Section 11 for more detailed information on health effects and symptoms.

## SECTION 2: Hazards identification

### 2.2 Label elements

**Signal word** : No signal word.

**Hazard statements** : No known significant effects or critical hazards.

#### Precautionary statements

**General** : Not applicable.

**Prevention** : Not applicable.

**Response** : Not applicable.

**Storage** : Not applicable.

**Disposal** : P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations.

**Supplemental label elements** : EUH208 - Contains 1,2-benzisothiazol-3(2H)-one and reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1). May produce an allergic reaction.  
EUH210 - Safety data sheet available on request.

**Supplemental label elements : Detergents - Regulation (EC) No 907/2006** : Not applicable.

**Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles** : Not applicable.

**Special packaging requirements**

**Containers to be fitted with child-resistant fastenings** : Not applicable.

**Tactile warning of danger** : Not applicable.

### 2.3 Other hazards

**Product meets the criteria for PBT or vPvB according to Regulation (EC) No. 1907/2006, Annex XIII**

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

**Other hazards which do not result in classification** : None known.

## SECTION 3: Composition/information on ingredients

**3.2 Mixtures** : Mixture

**United Kingdom: Great Britain**

| Product/ingredient name      | Identifiers   | %      | Classification  | Specific Conc. Limits, M-factors and ATEs | Type    |
|------------------------------|---|--------|---|---|---------|
| 1-methoxy-2-propanol         | REACH #:<br>01-2119457435-35<br>EC: 203-539-1<br>CAS: 107-98-2<br>Index: 603-064-00-3 | ≤3     | Flam. Liq. 3, H226<br>STOT SE 3, H336                           | -   | [1] [2] |
| 1,2-benzisothiazol-3(2H)-one | REACH #:<br>01-2120761540-60<br>EC: 220-120-9   | <0,036 | Acute Tox. 4, H302<br>Acute Tox. 2, H330<br>Skin Irrit. 2, H315 | ATE [Oral] = 450 mg/kg<br>ATE [Inhalation | [1]     |

### SECTION 3: Composition/information on ingredients

|  |  |                  |   |   |  |
|--|--|------------------|---|---|--|
| <p>reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)</p> | <p>CAS: 2634-33-5<br/>Index: 613-088-00-6</p> <p>REACH #:<br/>01-2120764691-48<br/>CAS: 55965-84-9<br/>Index: 613-167-00-5</p> | <p>&lt;0,001</p> | <p>Eye Dam. 1, H318<br/>Skin Sens. 1A, H317<br/>Aquatic Acute 1, H400<br/>Aquatic Chronic 1, H410</p> <p>Acute Tox. 3, H301<br/>Acute Tox. 2, H310<br/>Acute Tox. 2, H330<br/>Skin Corr. 1B, H314<br/>Eye Dam. 1, H318<br/>Skin Sens. 1A, H317<br/>Aquatic Acute 1, H400<br/>Aquatic Chronic 1, H410</p> <p><b>See Section 16 for the full text of the H statements declared above.</b></p> | <p>(dusts and mists)] = 0,21 mg/l<br/>Skin Sens. 1, H317: C ≥ 0,036%<br/>M [Acute] = 1<br/>M [Chronic] = 1</p> <p>ATE [Oral] = 64 mg/kg [1]<br/>ATE [Dermal] = 92,4 mg/kg<br/>ATE [Inhalation (dusts and mists)] = 0,171 mg/l<br/>Skin Corr. 1B, H314: C ≥ 0,6%<br/>Skin Irrit. 2, H315: 0,06% ≤ C &lt; 0,6%<br/>Eye Dam. 1, H318: C ≥ 0,6%<br/>Eye Irrit. 2, H319: 0,06% ≤ C &lt; 0,6%<br/>Skin Sens. 1, H317: C ≥ 0,0015%<br/>M [Acute] = 100<br/>M [Chronic] = 100</p> |  |
|--|--|------------------|---|---|--|

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

#### Type

- [1] Substance classified with a health or environmental hazard  
[2] Substance with a workplace exposure limit

List numbers have no legal significance.

Occupational exposure limits, if available, are listed in Section 8.

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

- Eye contact** : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
- Inhalation** : Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
- Skin contact** : Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
- Ingestion** : Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
- Protection of first-aiders** : No action shall be taken involving any personal risk or without suitable training.

#### 4.2 Most important symptoms and effects, both acute and delayed

##### Over-exposure signs/symptoms

## SECTION 4: First aid measures

- Eye contact** : No specific data.
- Inhalation** : No specific data.
- Skin contact** : No specific data.
- Ingestion** : No specific data.

### 4.3 Indication of any immediate medical attention and special treatment needed

- Notes to physician** : Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
- Specific treatments** : No specific treatment.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

- Suitable extinguishing media** : Use an extinguishing agent suitable for the surrounding fire.
- Unsuitable extinguishing media** : None known.

### 5.2 Special hazards arising from the substance or mixture

- Hazards from the substance or mixture** : In a fire or if heated, a pressure increase will occur and the container may burst.
- Hazardous combustion products** : Decomposition products may include the following materials:  
carbon dioxide  
carbon monoxide

### 5.3 Advice for firefighters

- Special protective actions for fire-fighters** : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
- Special protective equipment for fire-fighters** : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
- Additional information** : No unusual hazard if involved in a fire.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

- For non-emergency personnel** : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
- For emergency responders** : If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

### 6.2 Environmental precautions

- : Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

### 6.3 Methods and material for containment and cleaning up

## SECTION 6: Accidental release measures

**Small spill** : Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

**Large spill** : Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor.

**6.4 Reference to other sections** : See Section 1 for emergency contact information.  
See Section 8 for information on appropriate personal protective equipment.  
See Section 13 for additional waste treatment information.

## SECTION 7: Handling and storage

The information in this section contains generic advice and guidance.

### 7.1 Precautions for safe handling

**Protective measures** : Put on appropriate personal protective equipment (see Section 8).  
**Advice on general occupational hygiene** : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

### 7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

### 7.3 Specific end use(s)

**Recommendations** : Not available.  
**Industrial sector specific solutions** : Not available.

## SECTION 8: Exposure controls/personal protection

The information in this section contains generic advice and guidance. Information is provided based on typical anticipated uses of the product. Additional measures might be required for bulk handling or other uses that could significantly increase worker exposure or environmental releases.

### 8.1 Control parameters

#### Occupational exposure limits / Biological exposure indices

##### United Kingdom: Great Britain

| Product/ingredient name | Exposure limit values   |
|-------------------------|---|
| 1-methoxy-2-propanol    | <b>EH40/2005 WELs (United Kingdom (UK), 1/2020). Absorbed through skin.</b><br>STEL: 560 mg/m <sup>3</sup> 15 minutes.<br>STEL: 150 ppm 15 minutes.<br>TWA: 375 mg/m <sup>3</sup> 8 hours.<br>TWA: 100 ppm 8 hours. |

## SECTION 8: Exposure controls/personal protection

**Recommended monitoring procedures** : Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

### DNELs/DMELs

| Product/ingredient name   | Type | Exposure              | Value                   | Population                     | Effects  |
|---|------|-----------------------|-------------------------|--------------------------------|----------|
| 1-methoxy-2-propanol  | DNEL | Short term Inhalation | 553,5 mg/m <sup>3</sup> | Workers                        | Local    |
|   | DNEL | Long term Inhalation  | 369 mg/m <sup>3</sup>   | Workers                        | Systemic |
|   | DNEL | Long term Dermal      | 50,6 mg/kg bw/day       | Workers                        | Systemic |
|   | DNEL | Long term Inhalation  | 43,9 mg/m <sup>3</sup>  | General population [Consumers] | Systemic |
|   | DNEL | Long term Dermal      | 18,1 mg/kg bw/day       | General population [Consumers] | Systemic |
|   | DNEL | Long term Oral        | 3,3 mg/kg bw/day        | General population [Consumers] | Systemic |
| 1,2-benzisothiazol-3(2H)-one  | DNEL | Long term Inhalation  | 6,81 mg/m <sup>3</sup>  | Workers                        | Systemic |
|   | DNEL | Long term Inhalation  | 1,2 mg/m <sup>3</sup>   | General population             | Systemic |
|   | DNEL | Long term Dermal      | 0,966 mg/kg bw/day      | Workers                        | Systemic |
|   | DNEL | Long term Dermal      | 0,345 mg/kg bw/day      | General population             | Systemic |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | DNEL | Long term Inhalation  | 0,02 mg/m <sup>3</sup>  | Workers                        | Local    |
|   | DNEL | Short term Inhalation | 0,04 mg/m <sup>3</sup>  | Workers                        | Local    |
|   | DNEL | Long term Inhalation  | 0,02 mg/m <sup>3</sup>  | General population             | Local    |
|   | DNEL | Short term Inhalation | 0,04 mg/m <sup>3</sup>  | General population             | Local    |
|   | DNEL | Long term Oral        | 0,09 mg/kg bw/day       | General population             | Systemic |
|   | DNEL | Short term Oral       | 0,11 mg/kg bw/day       | General population             | Systemic |

### PNECs

## SECTION 8: Exposure controls/personal protection

| Product/ingredient name   | Compartment Detail     | Value             | Method Detail |
|---|------------------------|-------------------|---------------|
| 1-methoxy-2-propanol  | Fresh water            | 10 mg/l           | -             |
|   | Fresh water sediment   | 41,6 mg/l         | -             |
|   | Marine water sediment  | 4,17 mg/l         | -             |
|   | Soil                   | 2,47 mg/l         | -             |
|   | Sewage Treatment Plant | 100 mg/l          | -             |
| 1,2-benzisothiazol-3(2H)-one  | Fresh water            | 0,00403 mg/l      | -             |
|   | Marine water           | 0,000403 mg/l     | -             |
|   | Sewage Treatment Plant | 1,03 mg/l         | -             |
|   | Fresh water sediment   | 0,0499 mg/kg dwt  | -             |
|   | Marine water sediment  | 0,00499 mg/kg dwt | -             |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | Soil                   | 3 mg/kg dwt       | -             |
|   | Fresh water            | 3,39 ng/l         | -             |
|   | Sewage Treatment Plant | 0,23 mg/l         | -             |
|   | Marine water           | 3,39 ng/l         | -             |
|   | Soil                   | 0,01 mg/kg dwt    | -             |
|   | Fresh water sediment   | 0,027 mg/kg dwt   | -             |
|   | Marine water sediment  | 0,027 mg/kg dwt   | -             |
|   | Fresh water            | 0,00339 mg/l      | -             |
|   | Marine water           | 0,00339 mg/l      | -             |
|   | Sewage Treatment Plant | 0,23 mg/l         | -             |
|   | Fresh water sediment   | 0,027 mg/kg       | -             |
|   | Marine water sediment  | 0,027 mg/kg       | -             |
|   | Soil                   | 0,01 mg/kg        | -             |

### 8.2 Exposure controls

**Appropriate engineering controls** : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

#### Individual protection measures

**Hygiene measures** : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

**Eye/face protection** : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. Use eye protection according to EN 166. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.

#### Skin protection

There is no one glove material or combination of materials that will give unlimited resistance to any individual or combination of chemicals.

The breakthrough time must be greater than the end use time of the product.

The instructions and information provided by the glove manufacturer on use, storage, maintenance and replacement must be followed.

Gloves should be replaced regularly and if there is any sign of damage to the glove material.

Always ensure that gloves are free from defects and that they are stored and used correctly.

The performance or effectiveness of the glove may be reduced by physical/chemical damage and poor maintenance.

Barrier creams may help to protect the exposed areas of the skin but should not be applied once exposure has occurred.

## SECTION 8: Exposure controls/personal protection

- Hand protection** : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. > 8 hours (breakthrough time): nitrile rubber (0.5mm)  
The recommendation for the type or types of glove to use when handling this product is based on information from the following source: EN374. The user must check that the final choice of type of glove selected for handling this product is the most appropriate and takes into account the particular conditions of use, as included in the user's risk assessment.
- Body protection** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Recommended: Wear overalls or long sleeved shirt. (EN 467)
- Other skin protection** : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Respiratory protection** : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use. Recommended: organic vapour (Type A) and particulate filter (EN 140)
- Environmental exposure controls** : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

## SECTION 9: Physical and chemical properties

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

### 9.1 Information on basic physical and chemical properties

- Physical state** : Liquid.
- Colour** : Colourless.
- Odour** : Not available.
- Odour threshold** : Not available.
- Melting point/freezing point** : Not available.
- Initial boiling point and boiling range** : Not relevant due to nature of the product.
- Flammability (solid, gas)** : Not available.
- Lower and upper explosion limit** : Not available.
- Flash point** : Closed cup: >61°C (>141,8°F) [Literature]
- Auto-ignition temperature** : Not relevant due to nature of the product.
- Decomposition temperature** : Not available.
- pH** : 8 [Conc. (% w/w): 100%] [OECD 122]
- pH : Justification** : Not available.
- Viscosity** : Dynamic (room temperature): 580 to 800 mPa·s [ASTM D562 [KU]]  
Kinematic (room temperature): 544 to 796 mm<sup>2</sup>/s [calculated.]  
Kinematic (40°C): >20,5 mm<sup>2</sup>/s [calculated.]
- Solubility(ies)** :

| Media      | Result         |
|------------|----------------|
| cold water | Easily soluble |
| hot water  | Easily soluble |

- Solubility in water** : Not available.



## SECTION 9: Physical and chemical properties

**Partition coefficient: n-octanol/ water** : Not applicable.

**Vapour pressure** :

| Ingredient name | Vapour Pressure at 20°C |     |        | Vapour pressure at 50°C |     |        |
|-----------------|-------------------------|-----|--------|-------------------------|-----|--------|
|                 | mm Hg                   | kPa | Method | mm Hg                   | kPa | Method |
| water           | 23,8                    | 3,2 |        |                         |     |        |

**Evaporation rate** : Not available.

**Relative density** : Not available.

**Density** : 1,005 to 1,065 g/cm<sup>3</sup> [20°C (68°F)] [DIN 53217]

**Vapour density** : Not available.

**Explosive properties** : No unusual hazard if involved in a fire.

**Oxidising properties** : Not available.

**Particle characteristics**

**Median particle size** : Not applicable.

## SECTION 10: Stability and reactivity

**10.1 Reactivity** : No specific test data related to reactivity available for this product or its ingredients.

**10.2 Chemical stability** : The product is stable.

**10.3 Possibility of hazardous reactions** : Under normal conditions of storage and use, hazardous reactions will not occur.

**10.4 Conditions to avoid** : No specific data.

**10.5 Incompatible materials** : No specific data.

**10.6 Hazardous decomposition products** : Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

**Acute toxicity**

| Product/ingredient name   | Result                          | Species            | Dose        | Exposure |
|---|---------------------------------|--------------------|-------------|----------|
| 1-methoxy-2-propanol  | LC50 Inhalation Vapour          | Rat                | 30,02 mg/l  | 4 hours  |
|   | LD50 Dermal                     | Rabbit             | 13 g/kg     | -        |
|   | LD50 Oral                       | Mouse              | 11700 mg/kg | -        |
|   | LD50 Oral                       | Rat - Male, Female | 4016 mg/kg  | -        |
| 1,2-benzisothiazol-3(2H)-one  | LC50 Inhalation Dusts and mists | Rat                | 0,11 mg/l   | 4 hours  |
|   | LC50 Inhalation Dusts and mists | Rat - Male, Female | 0,5 mg/l    | 4 hours  |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | LD50 Oral                       | Rat - Male         | 490 mg/kg   | -        |
|   | LC50 Inhalation Dusts and mists | Rat - Male, Female | 0,171 mg/l  | 4 hours  |

**SECTION 11: Toxicological information**

|  |             |        |            |   |
|--|-------------|--------|------------|---|
|  | LD50 Dermal | Rabbit | 92,4 mg/kg | - |
|  | LD50 Oral   | Rat    | 64 mg/kg   | - |

**Conclusion/Summary** : Based on available data, the classification criteria are not met.

**Acute toxicity estimates**

| Product/ingredient name  | Oral (mg/kg) | Dermal (mg/kg) | Inhalation (gases) (ppm) | Inhalation (vapours) (mg/l) | Inhalation (dusts and mists) (mg/l) |
|--|--------------|----------------|--------------------------|-----------------------------|-------------------------------------|
| 1,2-benzisothiazol-3(2H)-one reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | 450<br>64    | N/A<br>92,4    | N/A<br>N/A               | N/A<br>N/A                  | 0,21<br>0,171                       |

**Irritation/Corrosion**

| Product/ingredient name   | Result                 | Species | Score | Exposure     | Observation  |
|---|------------------------|---------|-------|--------------|--------------|
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | Eyes - Severe irritant | Rabbit  | -     | -            | -            |
|   | Skin - Severe irritant | Human   | -     | 0.01 Percent | -            |
|   | Skin - Severe irritant | Rabbit  | -     | -            | 1 to 4 hours |

**Conclusion/Summary**

**Skin** : Based on available data, the classification criteria are not met.

**Eyes** : Based on available data, the classification criteria are not met.

**Respiratory** : Based on available data, the classification criteria are not met.

**Sensitisation**

| Product/ingredient name  | Route of exposure | Species    | Result      |
|--|-------------------|------------|-------------|
| 1,2-benzisothiazol-3(2H)-one reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | skin              | Guinea pig | Sensitising |
|  | skin              | Guinea pig | Sensitising |

**Conclusion/Summary**

**Skin** : Based on available data, the classification criteria are not met.

**Respiratory** : Based on available data, the classification criteria are not met.

**Mutagenicity**

**Conclusion/Summary** : Based on available data, the classification criteria are not met.

**Carcinogenicity**

**Conclusion/Summary** : Based on available data, the classification criteria are not met.

**Reproductive toxicity**

**Conclusion/Summary** : Based on available data, the classification criteria are not met.

**Teratogenicity**

**Conclusion/Summary** : Based on available data, the classification criteria are not met.

**Specific target organ toxicity (single exposure)**

## SECTION 11: Toxicological information

| Product/ingredient name | Category   | Route of exposure | Target organs    |
|-------------------------|------------|-------------------|------------------|
| 1-methoxy-2-propanol    | Category 3 | -                 | Narcotic effects |

### Specific target organ toxicity (repeated exposure)

Not available.

### Aspiration hazard

Not available.

**Information on likely routes of exposure** : Not available.

### Potential acute health effects

- Eye contact** : No known significant effects or critical hazards.
- Inhalation** : No known significant effects or critical hazards.
- Skin contact** : No known significant effects or critical hazards.
- Ingestion** : No known significant effects or critical hazards.

### Symptoms related to the physical, chemical and toxicological characteristics

- Eye contact** : No specific data.
- Inhalation** : No specific data.
- Skin contact** : No specific data.
- Ingestion** : No specific data.

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

#### Short term exposure

- Potential immediate effects** : Not available.
- Potential delayed effects** : Not available.

#### Long term exposure

- Potential immediate effects** : Not available.
- Potential delayed effects** : Not available.

### Potential chronic health effects

Not available.

- Conclusion/Summary** : Based on available data, the classification criteria are not met.
- General** : No known significant effects or critical hazards.
- Carcinogenicity** : No known significant effects or critical hazards.
- Mutagenicity** : No known significant effects or critical hazards.
- Reproductive toxicity** : No known significant effects or critical hazards.

## 11.2 Information on other hazards

### 11.2.1 Endocrine disrupting properties

Not available.

### 11.2.2 Other information

Not available.

## SECTION 12: Ecological information

### 12.1 Toxicity

| Product/ingredient name   | Result                                | Species  | Exposure |
|---|---------------------------------------|--|----------|
| 1-methoxy-2-propanol<br><br>1,2-benzisothiazol-3(2H)-one<br><br>reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | Acute EC50 >1000 mg/l                 | Algae - <i>Selenastrum capricornutum</i>       | 7 days   |
|   | Acute EC50 23300 mg/l                 | Daphnia spec.                                  | 96 hours |
|   | Acute LC50 6812 mg/l Fresh water      | Fish   | 96 hours |
|   | Acute EC50 0,11 mg/l                  | Algae  | 72 hours |
|   | Acute EC50 0,067 mg/l                 | Algae - <i>Pseudokirchneriella subcapitata</i> | 72 hours |
|   | Acute EC50 0,9893 mg/l Marine water   | Crustaceans - <i>Opossum Shrimp</i>            | 96 hours |
|   | Acute EC50 2,94 mg/l Fresh water      | Daphnia spec.                                  | 48 hours |
|   | Acute LC50 2,18 mg/l Fresh water      | Fish   | 96 hours |
|   | Acute LC50 8 to 13 mg/l               | Fish - <i>Alburnus alburnus</i>                | 96 hours |
|   | Acute LC50 1,6 to 2,8 ppm Fresh water | Fish - <i>Oncorhynchus mykiss</i>              | 96 hours |
|   | Chronic NOEC 90 mg/l                  | Aquatic plants - <i>Phaseolus vulgaris</i>     | 20 days  |
|   | Chronic NOEC 1,2 mg/l                 | Daphnia spec.                                  | 21 days  |
|   | Chronic NOEC 0,21 mg/l                | Fish   | 28 days  |
|   | Chronic NOEL 0,0403 mg/l              | Algae  | 72 hours |
|   | Acute EC50 0,037 mg/l Fresh water     | Algae  | 48 hours |
| Acute EC50 0,16 mg/l Fresh water  | Daphnia spec.                         | 48 hours                                       |          |
| Acute LC50 0,19 mg/l Fresh water  | Fish                                  | 96 hours                                       |          |
| Acute NOEC 0,004 mg/l Marine water  | Algae                                 | 48 hours                                       |          |
| Chronic NOEC 0,18 mg/l  | Daphnia spec.                         | 21 days  |          |
| Chronic NOEC 0,02 mg/l Fresh water  | Fish                                  | 38 days  |          |

**Conclusion/Summary** : Based on available data, the classification criteria are not met.

### 12.2 Persistence and degradability

| Product/ingredient name   | Test      | Result                         | Dose                         | Inoculum |
|---|-----------|--------------------------------|------------------------------|----------|
| 1-methoxy-2-propanol  | OECD 301E | 96 % - Readily - 28 days       | -                            | -        |
|   | OECD 301C | 88 to 92 % - Readily - 28 days | -                            | -        |
|   | -         | >90 % - Readily - 5 days       | 1,95 gO <sub>2</sub> /g ThOD | -        |
| 1,2-benzisothiazol-3(2H)-one<br>reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | OECD 303A | >90 % - Readily - 1 days       | -                            | -        |
|   | OECD 301D | >60 % - Readily - 28 days      | -                            | -        |
| -   | -         | <50 % - 10 days                | -                            | -        |

**Conclusion/Summary** : According to EC criteria: Expected to be inherently biodegradable

| Product/ingredient name   | Aquatic half-life               | Photolysis | Biodegradability |
|---|---------------------------------|------------|------------------|
| 1-methoxy-2-propanol  | Fresh water <28 days, 5 to 25°C | -          | Readily          |
| 1,2-benzisothiazol-3(2H)-one  | -                               | -          | Readily          |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | -                               | -          | Readily          |

## SECTION 12: Ecological information

### 12.3 Bioaccumulative potential

| Product/ingredient name   | LogP <sub>ow</sub> | BCF  | Potential |
|---|--------------------|------|-----------|
| 1-methoxy-2-propanol  | <1                 | <100 | Low       |
| 1,2-benzisothiazol-3(2H)-one  | 0,64               | -    | Low       |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | -0.83 to 0.75      | -    | Low       |

### 12.4 Mobility in soil

**Soil/water partition coefficient (K<sub>oc</sub>)** : Not available.

**Mobility** : Not available.

### 12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

### 12.6 Endocrine disrupting properties

Not available.

### 12.7 Other adverse effects

No known significant effects or critical hazards.

## SECTION 13: Disposal considerations

The information in this section contains generic advice and guidance.

### 13.1 Waste treatment methods

#### Product

**Methods of disposal** : The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.

**Hazardous waste** : Within the present knowledge of the supplier, this product is not regarded as hazardous waste, as defined by EU Directive 2008/98/EC.

#### European waste catalogue (EWC)

| Waste code | Waste designation  |
|------------|--|
| 08 01 12   | waste paint and varnish other than those mentioned in 08 01 11 |

**Special precautions** : This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

## SECTION 14: Transport information

|  | ADR/RID        | ADN            | IMDG           | IATA           |
|--|----------------|----------------|----------------|----------------|
| <b>14.1 UN number or ID number</b>     | Not regulated. | Not regulated. | Not regulated. | Not regulated. |
| <b>14.2 UN proper shipping name</b>    | -              | -              | -              | -              |
| <b>14.3 Transport hazard class(es)</b> | -              | -              | -              | -              |
| <b>14.4 Packing group</b>              | -              | -              | -              | -              |
| <b>14.5 Environmental hazards</b>      | No.            | No.            | No.            | No.            |
|  |                |                |                |                |

**14.6 Special precautions for user** : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

**14.7 Transport in bulk according to IMO instruments** : Not available.

## SECTION 15: Regulatory information

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**  
[Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles](#)

| Product/ingredient name | %    | Designation [Usage]    |
|-------------------------|------|------------------------|
| toluene                 | ≤0,1 | 48 [Consumer products] |
| benzene                 | <0,1 | 5<br>72                |

### Labelling

#### Other EU regulations

**VOC** :

**VOC for Ready-for-Use Mixture** : 2004/42/EC - IIA/j: 140g/l (2010). ≤= 35g/l VOC.

**Industrial emissions (integrated pollution prevention and control) - Air** : Not listed

**Industrial emissions (integrated pollution prevention and control) - Water** : Not listed

**Explosive precursors** : Not applicable.

#### United Kingdom: Great Britain

#### UK (GB)/REACH

#### Annex XIV - List of substances subject to authorisation

## SECTION 15: Regulatory information

### Annex XIV

None of the components are listed.

### Substances of very high concern

None of the components are listed.

### Ozone depleting substances

Not listed.

### Prior Informed Consent (PIC)

Not listed.

### Persistent Organic Pollutants

Not listed.

### Aerosol dispensers :

#### Seveso Directive

This product is not controlled under the Seveso Directive.

**Annex XVII - Restrictions** : Not applicable.

**on the manufacture,  
placing on the market  
and use of certain  
dangerous substances,  
mixtures and articles**

### International regulations

#### Stockholm Convention on Persistent Organic Pollutants

| List name   | Ingredient name | Status |
|-------------|-----------------|--------|
| Not listed. |                 |        |

#### Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

#### UNECE Aarhus Protocol on POPs and Heavy Metals

| List name   | Ingredient name | Status |
|-------------|-----------------|--------|
| Not listed. |                 |        |

**CN code** : 3209 90 00 00

### Inventory list

- Australia** : All components are listed or exempted.
- Canada** : At least one component is not listed in DSL but all such components are listed in NDSL.
- China** : All components are listed or exempted.
- Eurasian Economic Union** : **Russian Federation inventory**: Not determined.
- Japan** : **Japan inventory (CSCL)**: All components are listed or exempted.  
**Japan inventory (ISHL)**: Not determined.
- New Zealand** : All components are listed or exempted.
- Philippines** : At least one component is not listed.
- Republic of Korea** : At least one component is not listed.
- Taiwan** : At least one component is not listed.
- Thailand** : Not determined.
- Turkey** : Not determined.
- United States** : Not determined.
- Viet Nam** : Not determined.

## SECTION 15: Regulatory information

**15.2 Chemical safety assessment** : This product contains substances for which Chemical Safety Assessments are still required.

## SECTION 16: Other information

✔ Indicates information that has changed from previously issued version.

**Abbreviations and acronyms** :

- ATE = Acute Toxicity Estimate
- CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]
- DMEL = Derived Minimal Effect Level
- DNEL = Derived No Effect Level
- EUH statement = CLP-specific Hazard statement
- N/A = Not available
- PBT = Persistent, Bioaccumulative and Toxic
- PNEC = Predicted No Effect Concentration
- RRN = REACH Registration Number
- SGG = Segregation Group
- vPvB = Very Persistent and Very Bioaccumulative

### Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

| Classification  | Justification |
|-----------------|---------------|
| Not classified. |               |

### Full text of abbreviated H statements

#### United Kingdom: Great Britain

|  |  |
|--|--|
| <b>Full text of abbreviated H statements</b> : | H226 Flammable liquid and vapour.                          |
|  | H301 Toxic if swallowed.                                   |
|  | H302 Harmful if swallowed.                                 |
|  | H310 Fatal in contact with skin.                           |
|  | H314 Causes severe skin burns and eye damage.              |
|  | H315 Causes skin irritation.                               |
|  | H317 May cause an allergic skin reaction.                  |
|  | H318 Causes serious eye damage.                            |
|  | H330 Fatal if inhaled.                                     |
|  | H336 May cause drowsiness or dizziness.                    |
|  | H400 Very toxic to aquatic life.                           |
|  | H410 Very toxic to aquatic life with long lasting effects. |

|   |   |
|---|---|
| <b>Full text of classifications [CLP/GHS]</b> : | Acute Tox. 2 ACUTE TOXICITY - Category 2                                |
|   | Acute Tox. 3 ACUTE TOXICITY - Category 3                                |
|   | Acute Tox. 4 ACUTE TOXICITY - Category 4                                |
|   | Aquatic Acute 1 SHORT-TERM (ACUTE) AQUATIC HAZARD - Category 1          |
|   | Aquatic Chronic 1 LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 1       |
|   | Eye Dam. 1 SERIOUS EYE DAMAGE/EYE IRRITATION - Category 1               |
|   | Flam. Liq. 3 FLAMMABLE LIQUIDS - Category 3                             |
|   | Skin Corr. 1B SKIN CORROSION/IRRITATION - Category 1B                   |
|   | Skin Irrit. 2 SKIN CORROSION/IRRITATION - Category 2                    |
|   | Skin Sens. 1A SKIN SENSITISATION - Category 1A                          |
|   | STOT SE 3 SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE - Category 3 |

**Date of printing** : 8/01/2024

**Date of issue/ Date of revision** : 8/01/2024

**Date of previous issue** : 8/01/2024

**Version** : 6

### Notice to reader



## **SECTION 16: Other information**

**IMPORTANT NOTE:** The information in this Safety Data Sheet is based on the present state of knowledge and current legislation. It provides guidance on health, safety and environmental aspects of the product and should not be construed as any guarantee of technical performance or suitability for particular applications. The information contained in this data sheet (as may be amended from time to time) is not intended to be exhaustive and is presented in good faith and believed to be correct as of the date on which it is prepared. It is the user's responsibility to verify that this data sheet is current prior to using the product to which it relates. Persons using the information must make their own determinations as to the suitability of the relevant product for their purposes prior to use. Where those purposes are other than as specifically recommended in this safety data sheet, then the user uses the product at their own risk.

**MANUFACTURER'S DISCLAIMER:** the conditions, methods and factors affecting the handling, storage, application, use and disposal of the product are not under the control and knowledge of the manufacturer. Therefore the manufacturer does not assume responsibility for any adverse events which may occur in the handling, storage, application, use, misuse or disposal of the product and, so far as permitted by applicable law, the manufacturer expressly disclaims liability for any and all loss, damages and/or expenses arising out of or in any way connected to the storage, handling, use or disposal of the product. Safe handling, storage, use and disposal are the responsibility of the users. Users must comply with all applicable health and safety laws.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.