Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) 2020/878



SAFETY DATA SHEET

Surfa-Etch 108

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier	
Product name	: Surfa-Etch 108
Product description	: Cleaning solutions.
Product type	: Liquid.
UFI	: GN40-F0TF-Y003-JQJA

1.2 Relevant identified uses of the substance or mixture and uses advised against

Ident	ified uses
Industrial use Professional use	
Uses advised against	Reason
Consumer use	Product is not intended for consumer use.

1.3 Details of the supplier of the safety data sheet

RUST-OLEUM EUROPE Martin Mathys NV, Kolenbergstraat 23, B-3545 Zelem, Belgium Telephone no.: +32 (0) 13 460 200 Fax no.: +32 (0) 13 460 201

Tor Coatings Limited Unit 21, White Rose Way, Follingsby Park, Gateshead, Tyne & Wear, NE10 8YX United Kingdom Telephone no.: +44 (0) 191 4106611 Fax no.: +44 (0) 191 4920125 enquiries@tor-coatings.com e-mail address of person : rpmeurohas@rustoleum.eu

responsible for this SDS

1.4 Emergency telephone number <u>National advisory body/Poison Centre</u>

Telephone number Belgium	: Poison centre: +32(0)70 245 245
Telephone number Bulgaria	: +359 2 9154 409
Telephone number Croatia	: +385 1 2348 342
Telephone number Cyprus	: 1401
Telephone number Denmark	: Contact the "Giftlinien" on tel. No. 82 12 12 12 (open 24 hours a day). See point 4 on first aid.
Telephone number Estonia	: 16662
Telephone number Finland	: 0800 147 111
Telephone number France	: ORFILA (INRS): +33 (0)1 45 42 59 59 (24/7)
Telephone number Greece	 Emergency Telephone Poison Center Nos. Children Aglaia Kyriakou +30 210 7793777

Health Toxicology Information Service (ETTSZ) (+ 36-80) 201-199 (in case of emergency 0-24 h, can be called free of charge).
+354 5432222
809 2166 Available 8am to 10pm 7 days per week
800183459
Toxicology and sepsis clinics Poisoning and Drug Information Center, Hipokrāta Street 2, Riga, Latvia, LV-1038, Phone number: +371 67042473
Poison Information Office 24 hours a day: Phone: +370 (5) 2362052 (www.apsinuodijau.lt/)
Poison centre: +32(0)70 245 245
112
088-755 8000
+47 22 59 13 00
112 24/7, free call 800 250 250
+40 21 318 36 06 (Monday - Friday between 8:00 -15:00, local hour)
NATIONAL TOXICOLOGICAL INFORMATION CENTER - Non-stop 24-hour consultation in case of acute intoxication +421 2 5477 4166
915 620 420
Poison Information Center: 112
Swiss Toxicological Information Centre (24 h) : 145
809 2166 Available 8am to 10pm 7 days per week
+43 13649237
+32 28083237
+359 32570104
+385 17776920
+420 228880039
+45 69918573
+372 6681294
+358 942419014
+33 975181407
+49 69643508409 / 0800-181-7059
+30 2111768478
+36 18088425
+354 539 0655
+353 19014670
+39 0245557031 / 800-789-767
+371 66165504
+370 52140238
352-20202416
+31 858880596
+48 223988029
+351 308801773

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

Date of issue/Date of revision

: 1/03/2024

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

Telephone number Romania	: +40 37 6300026
Telephone number Slovakia	: +421 233057972
Telephone number Slovenia	: +38 618888016
Telephone number Spain	: +34 931768545
Telephone number Sweden	: +46 852503403
Telephone number Switzerland	: +41 435082011
Hours of operation	: 24 / 7

SECTION 2: Hazards identification

2.1 Classification of the	substance or mixture	
Product definition	: Mixture	
Classification accordin	to Regulation (EC) No. 1272/2008 [CLP/GHS]	
Skin Corr. 1B, H314		
Eye Dam. 1, H318		
The product is classified	as hazardous according to Regulation (EC) 1272/2008 as amend	bet
See Section 16 for the fu	I text of the H statements declared above.	
See Section 11 for more	detailed information on health effects and symptoms.	

2.2 Label elements

Hazard pictograms



Signal word	:	Danger
Hazard statements	:	H314 - Causes severe skin burns and eye damage.
Precautionary statements		
General	:	Not applicable.
Prevention	:	P280 - Wear protective gloves, protective clothing and eye or face protection.
Response	:	 P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor. P303 + P361 + P353, P310 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. Immediately call a POISON CENTER or doctor. P305 + P351 + P338, P310 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor.
Storage	1	P405 - Store locked up.
Disposal	1	P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations.
Hazardous ingredients	:	phosphoric acid
Supplemental label elements	1	Not applicable.
Supplemental label elements : Detergents - Regulation (EC) No 907/2006	:	For professional use only. This information is provided by the present Safety Data Sheet.
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	:	Not applicable.

SECTION 2: Hazards identification

Special packaging requirem	en	<u>ts</u>
Containers to be fitted with child-resistant fastenings	:	Not applicable.
Tactile warning of danger	:	Not applicable.

2.3 Other hazards

Product meets the criteria for PBT or vPvB according to Regulation (EC) No. 1907/2006, Annex XIII

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

Other hazards which do : None known. not result in classification

SECTION 3: Composition/information on ingredients

: Mixture

3.2 Mixtures

Europe

Product/ingredient name	Identifiers	%	Classification	Specific Conc. Limits, M-factors and ATEs	Туре
phosphoric acid	REACH #: 01-2119485924-24 EC: 231-633-2 CAS: 7664-38-2	≥10 - ≤25	Met. Corr. 1, H290 Acute Tox. 4, H302 Skin Corr. 1B, H314 Eye Dam. 1, H318	ATE [Oral] = 1530 mg/kg Skin Corr. 1B, H314: $C \ge 25\%$ Skin Irrit. 2, H315: 10% $\le C < 25\%$ Eye Dam. 1, H318: $C \ge 25\%$ Eye Irrit. 2, H319: 10% $\le C < 25\%$	[1] [2]
Isopropyl alcohol	REACH #: 01-2119457558-25 EC: 200-661-7 CAS: 67-63-0 Index: 603-117-00-0	≤5	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336	-	[1]
			See Section 16 for the full text of the H statements declared above.		

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

<u>Type</u>

[1] Substance classified with a health or environmental hazard

[2] Substance with a workplace exposure limit

Occupational exposure limits, if available, are listed in Section 8.

SECTION 4: First aid measures

4.1 Description of first aid n Eye contact		Get medical attention immediately. Call a poison center or physician. Immediately
Eye contact		flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician.
Inhalation	:	Get medical attention immediately. Call a poison center or physician. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Skin contact	:	Get medical attention immediately. Call a poison center or physician. Wash contaminated skin with soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion	:	Get medical attention immediately. Call a poison center or physician. Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Chemical burns must be treated promptly by a physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

4.2 Most important symptoms and effects, both acute and delayed

<u>Over-exposure signs/sy</u>	<u>imptoms</u>
Eye contact	: Adverse symptoms may include the following: pain watering redness
Inhalation	: No specific data.
Skin contact	: Adverse symptoms may include the following: pain or irritation redness blistering may occur
Ingestion	: Adverse symptoms may include the following: stomach pains
4.3 Indication of any imm	ediate medical attention and special treatment needed
Notes to physician	: Treat symptomatically. Contact poison treatment spe

Notes to physician	: Treat symptomatically. Contact poison treatment specialist immediately if large
	quantities have been ingested or inhaled.

Specific treatments : No specific treatment.

SECTION 5: Firefighting measures

Suitable extinguishing	agent suitable for the surrounding fire.
Suitable extinguishing : Use an extinguishing media	
Unsuitable extinguishing : None known. media	
5.2 Special hazards arising from the substance or m	ixture
Hazards from the substance or mixture: In a fire or if heated,	a pressure increase will occur and the container may burst.
Hazardous combustion products : Decomposition products carbon dioxide carbon monoxide phosphorus oxides	ucts may include the following materials:
5.3 Advice for firefighters	
	scene by removing all persons from the vicinity of the incident if tion shall be taken involving any personal risk or without
equipment for fire-fighters breathing apparatus mode. Clothing for f	vear appropriate protective equipment and self-contained (SCBA) with a full face-piece operated in positive pressure re-fighters (including helmets, protective boots and gloves) ean standard EN 469 will provide a basic level of protection for
Additional information : No unusual hazard if	involved in a fire.

SECTION 6: Accidental release measures

6.1 Personal precautions, pro	tective equipment and emergency procedures
For non-emergency personnel	: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Do not breathe vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders	: If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
6.2 Environmental precautions	: Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
6.3 Methods and material for	containment and cleaning up
Small spill	: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	: Stop leak if without risk. Move containers from spill area. Approach the release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. The spilled material may be neutralized with sodium carbonate, sodium bicarbonate or sodium hydroxide. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilt product.

SECTION 6: Accidental release measures

6.4	Reference	to	other
sec	tions		

: See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

The information in this section contains generic advice and guidance.

7.1 Precautions for safe handling

Protective measures	: Put on appropriate personal protective equipment (see Section 8). Do not get in eyes or on skin or clothing. Do not breathe vapour or mist. Do not ingest. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Keep away from alkalis. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Separate from alkalis. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

7.3 Specific end use(s)

Recommendations

: Not available.

Industrial sector specific solutions

: Not available.

SECTION 8: Exposure controls/personal protection

The information in this section contains generic advice and guidance. Information is provided based on typical anticipated uses of the product. Additional measures might be required for bulk handling or other uses that could significantly increase worker exposure or environmental releases.

8.1 Control parameters

Occupational exposure limits / Biological exposure indices

Europe

Product/ingredient name	Exposure limit values
	EU OEL (Europe, 10/2019). Notes: list of indicative occupational exposure limit values STEL: 2 mg/m ³ 15 minutes. TWA: 1 mg/m ³ 8 hours.
procedures European Stand assessment of e values and mea: atmospheres - O of exposure to c (Workplace atm for the measured	Id be made to monitoring standards, such as the following: lard EN 689 (Workplace atmospheres - Guidance for the exposure by inhalation to chemical agents for comparison with limit surement strategy) European Standard EN 14042 (Workplace Guide for the application and use of procedures for the assessment hemical and biological agents) European Standard EN 482 ospheres - General requirements for the performance of procedures ment of chemical agents) Reference to national guidance methods for the determination of hazardous substances will also be

SECTION 8: Exposure controls/personal protection

required.

DNELs/DMELs

Product/ingredient name	Туре	Exposure	Value	Population	Effects
phosphoric acid	DNEL	Long term	2,92 mg/m ³	Workers	Local
		Inhalation			
	DNEL	Long term	0,73 mg/m ³	General	Local
		Inhalation		population [Consumers]	
	DNEL	Short term Inhalation	2 mg/m³	Workers	Local
	DNEL	Long term Inhalation	1 mg/m³	Workers	Local
	DNEL	Long term Inhalation	10,7 mg/m³	Workers	Systemic
	DNEL	Long term Inhalation	0,36 mg/m ³	General population	Local
	DNEL	Long term Inhalation	4,57 mg/m ³	General population	Systemic
	DNEL	Long term Dermal	0,1 mg/kg bw/day	General population	Systemic
Isopropyl alcohol	DNEL	Short term Dermal	888 mg/kg bw/day	Workers	Systemic
	DNEL	Short term Inhalation	500 mg/m ³	Workers	Systemic
	DNEL	Short term Dermal	319 mg/kg bw/day	General population [Consumers]	Systemic
	DNEL	Short term Inhalation	89 mg/m³	General population [Consumers]	Systemic
	DNEL	Short term Oral	26 mg/kg bw/day	General population [Consumers]	Systemic

PNECs

Product/ingredient name	Compartment Detail	Value	Method Detail
Isopropyl alcohol	Fresh water	140,9 mg/l	-
	Marine	140,9 mg/l	-
	Fresh water sediment	552 mg/kg	-
	Marine water sediment	552 mg/kg	-
	Soil	28 mg/kg	-
	Sewage Treatment	2251 mg/l	-
	Plant		

8.2 Exposure controls

Appropriate engineering controls	: If user operations generate dust, fumes, gas, vapour or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

Individual protection measures

Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
	safety showers are close to the workstation location.

SECTION 8: Exposure controls/personal protection

Eye/face protection	: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. Use eye protection according to EN 166. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles and/or face shield. If inhalation bazards exist a full face respirator may be required instead.
	hazards exist, a full-face respirator may be required instead.

Skin protection

There is no one glove material or combination of materials that will give unlimited resistance to any individual or combination of chemicals.

The breakthrough time must be greater than the end use time of the product.

The instructions and information provided by the glove manufacturer on use, storage, maintenance and replacement must be followed.

Gloves should be replaced regularly and if there is any sign of damage to the glove material.

Always ensure that gloves are free from defects and that they are stored and used correctly.

The performance or effectiveness of the glove may be reduced by physical/chemical damage and poor maintenance. Barrier creams may help to protect the exposed areas of the skin but should not be applied once exposure has occurred.

Hand protection	hemical-resistant, impervious gloves complying with an approved standar e worn at all times when handling chemical products if a risk assessment is is necessary. Considering the parameters specified by the glove manu- neck during use that the gloves are still retaining their protective properties hould be noted that the time to breakthrough for any glove material may b fferent for different glove manufacturers. In the case of mixtures, consist everal substances, the protection time of the gloves cannot be accurately stimated. > 8 hours (breakthrough time): polyvinyl chloride (PVC)	indicates Ifacturer, s. It e
	the recommendation for the type or types of glove to use when handling the roduct is based on information from the following source: EN374. The use neck that the final choice of type of glove selected for handling this product ost appropriate and takes into account the particular conditions of use, as cluded in the user's risk assessment.	r must t is the
Body protection	ersonal protective equipment for the body should be selected based on the eing performed and the risks involved and should be approved by a specia efore handling this product. Recommended: Wear long sleeves and othe rotective clothing to prevent repeated or prolonged skin contact.	alist
Other skin protection	ppropriate footwear and any additional skin protection measures should b elected based on the task being performed and the risks involved and sho oproved by a specialist before handling this product. Recommended: Che sistant boots.	ould be
Respiratory protection	ased on the hazard and potential for exposure, select a respirator that me opropriate standard or certification. Respirators must be used according t spiratory protection program to ensure proper fitting, training, and other in spects of use. Recommended: A respirator is not needed under normal a tended conditions of product use. In case of insufficient ventilation, wear spiratory equipment. organic vapour filter (Type A). (EN 141)	to a nportant ind
Environmental exposure controls	missions from ventilation or work process equipment should be checked to neure they comply with the requirements of environmental protection legis some cases, fume scrubbers, filters or engineering modifications to the p quipment will be necessary to reduce emissions to acceptable levels.	lation.

SECTION 9: Physical and chemical properties

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

9.1 Information on basic physical and chemical properties

Physical state	: Liquid.
Colour	: Red.
Odour	: Odourless.
Odour threshold	: Not available.

Date	of issu	e/Date	of rev	ision

SECTION 9: Physical and chemical properties

Melting point/freezing point	1	Not available.
Initial boiling point and boiling range	:	>100°C (>212°F) [Literature]
Flammability (solid, gas)	:	Non-combustible.
Lower and upper explosion limit	:	Not available.
Flash point		Not relevant due to nature of the product.
Auto-ignition temperature		Not relevant due to nature of the product.
Decomposition temperature		Not available.
рН	1	1 [Conc. (% w/w): 100%] [OECD 122]
pH : Justification	1	Not available.
Viscosity	1	Not available.
Solubility(ies)	1	
Media		Result
cold water hot water methanol acetone		Easily soluble Easily soluble Very slightly soluble Very slightly soluble
Solubility in water	:	Not available.
Partition coefficient: n-octanol/ water	:	Not applicable.
Vapour pressure	1	2 kPa (15 mm Hg) [calculated.]
Evaporation rate	1	<1 (butyl acetate = 1)
Relative density	:	Not available.
Density	:	1,1 to 1,13 g/cm³ [20°C (68°F)] [DIN 53217]
Vapour density	:	Not available.
Explosive properties	:	Highly explosive in the presence of the following materials or conditions: open flames, sparks and static discharge.
		Non-explosive in the presence of the following materials or conditions: shocks and mechanical impacts. No unusual hazard if involved in a fire.
Oxidising properties	:	Non-explosive in the presence of the following materials or conditions: shocks and mechanical impacts.
Oxidising properties Particle characteristics	:	Non-explosive in the presence of the following materials or conditions: shocks and mechanical impacts. No unusual hazard if involved in a fire.

SECTION 10: Stability and reactivity

Date of issue/Date of revision	: 1/03/2024 Date of previous issue : 1/03/2024 Version : 4 10/24
10.5 Incompatible materials	: Attacks many metals producing extremely flammable hydrogen gas which can form explosive mixtures with air. Reactive or incompatible with the following materials: alkalis
10.4 Conditions to avoid	: No specific data.
10.3 Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
10.2 Chemical stability	: The product is stable.
10.1 Reactivity	: No specific test data related to reactivity available for this product or its ingredients.

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Regulation (EU) No. 2020/878

Surfa-Etch 108

SECTION 10: Stability and reactivity

10.6 Hazardous decomposition products

: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
phosphoric acid Isopropyl alcohol	LD50 Oral LC50 Inhalation Vapour LC50 Inhalation Vapour LD50 Dermal LD50 Oral	Rat Rat Rat Rabbit Rat	1530 mg/kg 30 mg/l 16000 ppm 12800 mg/kg 5000 mg/kg	- 4 hours 4 hours - -

Conclusion/Summary

: Based on available data, the classification criteria are not met.

Acute toxicity estimates

Product/ingredient name	Oral (mg/ kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapours) (mg/l)	
phosphoric acid	1530	N/A	N/A	N/A	N/A
Isopropyl alcohol	5000	12800	N/A	30	N/A

Irritation/Corrosion

Product/ingredient name	Result	Species		Exposure	Observation	
Isopropyl alcohol	Eyes - Moderate irritant	Rabbit	-	10 milligrams	-	
	Eyes - Moderate irritant	Rabbit	-	24 hours 100	-	
				milligrams		
	Eyes - Severe irritant	Rabbit	-	100	-	
				milligrams		
	Skin - Mild irritant	Rabbit	-	500	-	
				milligrams		
Conclusion/Summary				·		
Skin	· Causas sovara skin burns a	nd ava damaga				

Skin	: Causes severe skin burns and eye damage.
Eyes	: Causes serious eye damage.
Respiratory	: Based on available data, the classification criteria are not met.

Sensitisation

<u>Conclusion/Summ</u>

Conclusion/Summary

Skin	1	Based on available data, the classification criteria are not met.

Respiratory : Based on available data, the classification criteria are not met.

Mutagenicity

Product/ingredient name	Test	Experiment		Result	
Isopropyl alcohol	OECD 471	Subject: Bacteria		gative	
Conclusion/Summary	: Based on available data, the classification criteria are not met.				
Carcinogenicity					
Conclusion/Summary	: Based on available data, the classification criteria are not met.				
Reproductive toxicity					
Conclusion/Summary	: Based on available data, the classification criteria are not met.				
Teratogenicity					
Product/ingredient name	Result	Species	Dose	Exposure	
phosphoric acid	Negative - Oral	Rat	410 mg/kg	-	

Date of issue/Date of revision

SECTION 11: Toxicological information

Conclusion/Summary : Based on available data, the classification criteria are not met.

Specific target organ toxicity (single exposure)

Product/ingredient name	Category	Route of exposure	Target organs
Isopropyl alcohol	Category 3	-	Narcotic effects

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Information on likely routes of exposure	1	Routes of entry anticipated: Oral, Dermal, Eyes. Routes of entry not anticipated: Inhalation.
Potential acute health effects		
Eye contact	÷	Causes serious eye damage.
Inhalation	÷	No known significant effects or critical hazards.
Skin contact	:	Causes severe burns.
Ingestion	÷	No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact	: Adverse symptoms may include the following: pain watering redness
Inhalation	: No specific data.
Skin contact	: Adverse symptoms may include the following: pain or irritation redness blistering may occur
Ingestion	: Adverse symptoms may include the following: stomach pains

Delayed and immediate effect	ts as well as chronic effects from short and long-term exposure
Short term exposure	
Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
Long term exposure	
Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
Potential chronic health effe	ects
Not available.	
Conclusion/Summary	: Based on available data, the classification criteria are not met.
General	: No known significant effects or critical hazards.
Carcinogenicity	: No known significant effects or critical hazards.
Mutagenicity	: No known significant effects or critical hazards.
Reproductive toxicity	: No known significant effects or critical hazards.

SECTION 11: Toxicological information

11.2 Information on other hazards

11.2.1 Endocrine disrupting properties

Not available.

11.2.2 Other information

Not available.

SECTION 12: Ecological information

12.1 Toxicity

Product/ingredient name	Result	Species	Exposure
phosphoric acid	Acute LC50 138 mg/l	Fish	24 hours
Isopropyl alcohol	Acute LC50 1400 to 1950 mg/l Marine water	Crustaceans - Crangon crangon	48 hours
	Acute LC50 1400 mg/l	Fish - <i>Gambusia affinis</i>	96 hours
	Acute LC50 9640 to 10000 mg/l Fresh water	Fish - Pimephales promelas	96 hours
	Acute LC50 4200 mg/l Fresh water	Fish - Rasbora heteromorpha	96 hours

Conclusion/Summary : Based on available data, the classification criteria are not met.

12.2 Persistence and degradability

Product/ingredient name	Test	Result	Dose	Inoculum
Isopropyl alcohol	OECD 301E - -	95 % - 19 days 53 % - Readily - 5 days ≥70 % - Readily - 10 days	- - 7 mg/l	-
Conclusion/Summary	biodegradabilit Data to suppor of the Member	 >70 % - Readily - 10 days 7 mg/l The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer. 		3/2004 on detergents. Impetent authorities

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
Isopropyl alcohol	-	-	Readily

12.3 Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
Isopropyl alcohol	0,05	-	Low

12.4 Mobility in soil	
Soil/water partition coefficient (K _{oc})	: Not available.
Mobility	: Rapidly lost by degradation and volatilisation.

12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

12.6 Endocrine disrupting properties

Not available.

12.7 Other adverse effects

No known significant effects or critical hazards.

SECTION 13: Disposal considerations

The information in this section contains generic advice and guidance.

13.1 Waste treatment methods

Product	
Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.
Hazardous waste	: Yes.
European waste catalog	<u>ue (EWC)</u>

Waste code	Waste designation
06 01 04*	phosphoric and phosphorous acid

Special precautions

: This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

	ADR/RID	ADN	IMDG	ΙΑΤΑ
14.1 UN number or ID number	UN1805	UN1805	UN1805	UN1805
14.2 UN proper shipping name	Phosphoric acid, solution	Phosphoric acid, solution	Phosphoric acid, solution	Phosphoric acid, solution
14.3 Transport hazard class(es)	8	8	8	8
14.4 Packing group		111	III	III
14.5 Environmental hazards	No.	No.	No.	No.
Additional information	Limited quantity 5L Tunnel code (E) Remarks Limited Quantity - ADR/IMDG 3.4	<u>Remarks</u> : <u><</u> 5L: Limited Quantity	Emergency schedules F-A, S-B Special provisions 223 IMDG Code Segregation group SGG1 - Acids Remarks : ≤ 5L: Limited Quantity - IMDG 3.4	Quantity limitation Passenger and Cargo Aircraft: 5 L. Packaging instructions: 852. Cargo Aircraft Only: 60 L. Packaging instructions: 856. Limited Quantities - Passenger Aircraft: 1 L. Packaging instructions: Y 841. Special provisions A3, A803

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Regulation (EU) No. 2020/878

Surfa-Etch 108

SECTION 14: Transport information

14.6 Special precautions for	1	Transport within user's premises: always transport in closed containers that are
user		upright and secure. Ensure that persons transporting the product know what to do in
		the event of an accident or spillage.

14.7 Transport in bulk : Not available. according to IMO instruments

SECTION 15: Regulatory information

15.1 Safety, health and enviro	onmental regulations/legislation specific for the substance or mixture
EU Regulation (EC) No. 190	
	nces subject to authorisation
Annex XIV	
None of the components ar	e listed.
Substances of very high	<u>concern</u>
None of the components ar	re listed.
	the manufacture, placing on the market and use of certain dangerous
substances, mixtures and a	rticles
No listed substance	
Labelling	: Not applicable.
Other EU regulations	
VOC for Ready-for-Use Mixture	: Not applicable.
Industrial emissions (integrated pollution prevention and control) - Air	: Not listed
Industrial emissions (integrated pollution prevention and control) - Water	: Not listed
Explosive precursors	: Not applicable.
Ozone depleting substanc Not listed.	<u>es (1005/2009/EC)</u>
Prior Informed Consent (P Not listed.	I <u>C) (649/2012/EC)</u>
Persistent Organic Polluta Not listed.	<u>nts (850/2004/EC)</u>
Seveso Directive This product is not controlled National regulations	d under the Seveso Directive.
Austria	
VbF class	: Not regulated.
Storage code	: LGK 8B
Classification, packaging and labelling	: Not available.
Limitation of the use of organic solvents	: Permitted.
Waste catalogue	: 52102

Date of issue/Date of revision

SECTION 15: Regulatory information

Date of issue/Date of revision	: 1/03/2024 Date of previous issue : 1/03/2024 Version : 4 16/24
<u>Denmark</u>	REGULATION (EU) 2016/425 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 9 March 2016 on personal protective equipment and repealing Council Directive 89/686/EEC
	government no. 178/2001 Sb., which implements the health and safety at work conditions, according to the Decree of the government no. 523/2002 Sb. Decree of the government no. 194/2001 Sb., which implements the technical requirements for aerosol dispensers
References	: Decree of the government no. 441/2004 Sb., which amends Decree of the
Storage code	: IV
References <u>Czech Republic</u>	: -
<u>Cyprus</u> Poforoncos	
References	 Regulation about Maximum Exposure Limits of harmful substances in the atmosphere of the working environment NN 92/93 Regulation about application of personal safety equipment NN 39/06 Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Regulation (EU) No. 2020/878 REGULATION (EU) 2016/425 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 9 March 2016 on personal protective equipment and repealing Council Directive 89/686/EEC
<u>Croatia</u>	
References	 Ordinance No. 9 of 4 August 2006 on the protection of workers from the risks related to exposure to asbestos at work Ordinance No. 13 of 30 December 2003 on the protection of workers from the risks related to exposure to chemical agents at work Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Regulation (EU) No. 2020/878 REGULATION (EU) 2016/425 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 9 March 2016 on personal protective equipment and repealing Council Directive 89/686/EEC
<u>Bulgaria</u>	Directive 89/686/EEC
	 related to chemical agents at work Royal Decree 396/2006, which establishes minimum health and safety requirements for the protection of workers from risk of exposure to asbestos at the workplace. Royal Decree of 17 May 2007, ammending the Royal Decree of 11 March 2002 relating to the protection of the health and the safety of workers against the risks related to chemical agents in the workplace, Belgium State Gazette 2007-2327 of 7 June 2007. Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Regulation (EU) No. 2020/878 REGULATION (EU) 2016/425 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 9 March 2016 on personal protective equipment and repealing Council
References	: Royal Decree of 2 December 1993 concerning the protection of workers against the risks related to exposure to carcinogens and mutagens at work Royal Decree 374/2001, protection of the health and safety of workers from the risks related to aparts at work
<u>Belgium</u>	Classes Ministry of the Economy and Labor 2003 - GKV 2003 - Decree 429/2011 Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Regulation (EU) No. 2020/878 REGULATION (EU) 2016/425 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 9 March 2016 on personal protective equipment and repealing Council Directive 89/686/EEC
References	: Federal Law Gazette Nr. 240/1991 - Regulation on Combustible liquids - Warning

SECTION 15: Regulatory information

Product registration number	: PCN
Danish fire class	: Not available.
Denmark – Cancer risks	: Not listed
MAL-code	: 1-4
Protection based on MAL	: According to the regulations on work involving coded products, the following stipulations apply to the use of personal protective equipment:

General: Gloves must be worn for all work that may result in soiling. Apron/ coveralls/protective clothing must be worn when soiling is so great that regular work clothes do not adequately protect skin against contact with the product. A face shield must be worn in work involving spattering if a full mask is not required. In this case, other recommended use of eye protection is not required.

In all spraying operations in which there is return spray, the following must be worn: respiratory protection and arm protectors/apron/coveralls/protective clothing as appropriate or as instructed.

MAL-code: 1-4

Application: When using scraper or knife, brush, roller etc. for pre- and posttreatments in a spray booth where the operator is outside the spray zone and when working in similar new* facilities of the combined-cabin, spray-cabin and spray-booth type where the operator is working inside the spray zone. When spraying in new* booths and cabins with non-atomizing guns. When using scraper or knife, brush, roller, etc, for pre- and post-treatments in cabins or booths of the existing* facility type, if the operator is inside the spray zone. When using scraper or knife, brush, roller, etc. for pre- and post-treatments outside a closed facility, spray booth or spray cabin.

- Protective clothing must be worn.

During downtimes, cleaning and repair in closed facilities, spray booths or cabins, if there is a risk of contact with wet paint or organic solvents.

- Gas filter mask and protective clothing must be worn.

When spraying in existing* spray booths, if the operator is outside the spray zone.-Full mask with combined filter and protective clothing must be worn.

During non-atomising spraying in existing^{*} facilities of the combined-cabin, spraycabin and spray-booth type where the operator is working inside the spray zone.

- Air-supplied half mask, protective clothing and eye protection must be worn.

During all spraying where atomisation occurs in cabins or spray booths where the operator is inside the spray zone and during spraying outside a closed facility, cabin or booth.

- Air-supplied full mask, protective clothing and hood must be worn.

Drying: Items for drying/drying ovens that are temporarily placed on such things as rack trolleys, etc, must be equipped with a mechanical exhaust system to prevent fumes from wet items from passing through workers' inhalation zone.

Polishing: When polishing treated surfaces, a mask with dust filter must be worn. When machine grinding, eye protection must be worn. Work gloves must always be

SECTION 15: Regulatory information

worn.

		worn.
		Caution The regulations contain other stipulations in addition to the above.
		*See Regulations.
MAL-code for ready-for- use mixture	:	Not available.
Protection based on MAL for ready-for-use mixture	:	Not available.
		Not available.
		Not available.
Low-boiling liquids	:	Not applicable.
Restrictions on use	:	Not to be used by professional users below 18 years of age. See the National Working Environment Authorities Executive Order regarding Young People At Work.
Statutory Order 517 on Aerosols	:	Not applicable.
List of undesirable substances	:	Not listed
Carcinogenic waste	:	Not available.
Waste card number	:	04.18
Waste group	:	н
Remark	:	Not available.
References	:	 Executive Order no. 301 of 13 May 1993 "Executive order on the determination of code numbers". (MAL code) Executive Order no. 302 of 13 May 1993 "Executive Order on work with products with code numbers". (MAL code) Executive Order no. 559 of 4 July 2002 "Executive Order on special duties for manufacturers, suppliers and importers etc. of substances and materials according to the law on the working environment". Executive Order no. 908 of 27 September 2005 "Executive Order on measures for prevention of cancer risk when working with substances and materials". Executive Order no. 239 of 6 April 2005 "Executive Order on young people's work". Danish Working Environment Authority Guidance No. C.0.1. of August 2007 "Trace limit value list for substances and materials". Executive Order no. 571 of 29 November 1984 "Executive Order on use of propellants and solvents in aerosol containers". Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Regulation (EU) No. 2020/878 REGULATION (EU) 2016/425 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 9 March 2016 on personal protective equipment and repealing Council Directive 89/686/EEC
<u>Estonia</u>		
References	:	Regulation of the Estonian Government of 02.02.2000 No. 32 Occupational health and occupational safety requirements for asbestos. Regulation of the Estonian Government of 15.12.2005 No. 309 Occupational health and occupational safety requirements for carcinogenic and mutagenic substances. Regulation of the Estonian Government of 18.09.2001 No. 293 Occupational exposure limits of chemicals. Regulation of the Estonian Government of 20.03.2001 No. 105 Occupational health and occupational safety requirements for handling dangerous chemicals and materials. Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Regulation (EU) No. 2020/878 REGULATION (EU) 2016/425 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 9 March 2016 on personal protective equipment and repealing Council Directive 89/686/EEC
Finland		
Date of issue/Date of revision		: 1/03/2024 Date of previous issue : 1/03/2024 Version : 4 18/24

SECTION 15: Regulatory information

•		-
NACE	:	Not available.
UC62	:	Not available.
References	:	Regulation of the Ministry of Social Affairs and Health on occupational exposure limit values 795/2007 Aerosol regulation amendment 805/1994 Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Regulation (EU) No. 2020/878 REGULATION (EU) 2016/425 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 9 March 2016 on personal protective equipment and repealing Council Directive 89/686/EEC
<u>France</u>		
Social Security Code, Articles L 461-1 to L 461-7	1	Isopropyl alcohol RG 84
Classified installations for environmental protection	:	Not available.
Reinforced medical surveillance	1	Act of July 11, 1977 determining the list of activities which require reinforced medical surveillance: not applicable
Remark	:	Not available.
References	:	Tables of anticipated professional diseases according to article R461-3 of the labour code Labour code: Regulatory and recommended occupational exposure limits: Art. R231-55 to Art. R231-55-3. Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Regulation (EU) No. 2020/878 REGULATION (EU) 2016/425 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 9 March 2016 on personal protective equipment and repealing Council Directive 89/686/EEC
Germany		

<u>Germany</u>

Storage class (TRGS 510) : 8B

Hazardous incident ordinance

This product is not controlled under the Germany Hazardous Incident Ordinance.

Named substances

Name	Reference number
Danger criteria	

Category						Reference numb	er
Hazard class for water	: 1						
Fechnical instruction on air quality control	: TA	-Luft Nun	nber 5.2.5: 49	6			
AOX		ie product lue in was	•	anically bo	und halogens and c	can contribute to the AO	Х
References	arr an De wo Co Re RE	rangemen d dangero ecree No. ork plus ar onforms to egulation (EGULATIO	ts for certain ous preparatio 25/2000 (IX.3 mendments o Regulation (EU) No. 2020 DN (EU) 2016 f 9 March 20	procedure ons plus ar 30.) EüM o EC) No. 19 0/878 6/425 OF T	nendments f the Ministry of Hea 907/2006 (REACH), HE EUROPEAN PA	alth on detailed to dangerous substance alth on chemical safety a , Annex II, as amended I ARLIAMENT AND OF T pment and repealing Co	it by HE
te of issue/Date of revision	:	1/03/2024	Date of previ	ous issue	: 1/03/2024	Version : 4	19

SECTION 15: Regulatory information

<u> </u>	
<u>Greece</u>	
References	: Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Regulation (EU) No. 2020/878
<u>Hungary</u>	
References	 Regulation on the restrictions on the marketing and use of certain dangerous substances, preparations and articles according to the Chemicals Law Technical Rules for Hazardous Substances (TRGS): Occupational Exposure Limits (TRGS 900) Technical Rules for Hazardous Substances (TRGS): Directory of carcinogenic, mutagenic and reprotoxic substances (TRGS 905) First General Administrative Regulation Pertaining to the Federal Immission Control Act (Technical Instructions on Air Quality Control – TA Luft) Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Regulation (EU) No. 2020/878 REGULATION (EU) 2016/425 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 9 March 2016 on personal protective equipment and repealing Council Directive 89/686/EEC
<u>lreland</u>	
References	 Safety, Health and Welfare at Work (Chemical Agents) Regulations 2001 (S.I. No. 619 of 2001) Safety, Health and Welfare at Work (Carcinogens) Regulations 2001 (S.I. No. 78 of 2001) Safety, Health and Welfare at Work (General Application) Regulations 2007 Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Regulation (EU) No. 2020/878 REGULATION (EU) 2016/425 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 9 March 2016 on personal protective equipment and repealing Council Directive 89/686/EEC
<u>ltaly</u>	
D.Lgs. 152/06	: Not determined.
References	: Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Regulation (EU) No. 2020/878
<u>Latvia</u>	
References	 Regulation of Cabinet of Ministers No. 325 of 15 May 2007 "Labour protection requirements for contact with chemical substances in the workplace" Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Regulation (EU) No. 2020/878 REGULATION (EU) 2016/425 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 9 March 2016 on personal protective equipment and repealing Council Directive 89/686/EEC
<u>Lithuania</u>	
References	 Regulation about Maximum Exposure Limits of harmful substances in the atmosphere of the working environment NN 92/93 Regulation about application of personal safety equipment NN 39/06 Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Regulation (EU) No. 2020/878 REGULATION (EU) 2016/425 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 9 March 2016 on personal protective equipment and repealing Council Directive 89/686/EEC
<u>Luxembourg</u>	
References	: -
<u>Malta</u>	
References	: -
Netherlands	
Water Discharge Policy (ABM)	: B(4) Low hazard for aquatic organisms. Decontamination effort: B

SECTION 15: Regulatory information

Remark	: Not available.
References	: Water Discharge Policy (ABM) Netherlands Emission Guidelines for Air (NeR) List of carcinogenic substances and processes according to article 4.11 of the Working Conditions Act; Health and Safety Act List of mutagenic substances and processes according to article 4.11 of the Working Conditions Act; Health and Safety Act Non-limited list of reprotoxic substances (with additional registration requirement) according to article 42a(2) of the Working Conditions Act; Health and Safety Act Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Regulation (EU) No. 2020/878 REGULATION (EU) 2016/425 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 9 March 2016 on personal protective equipment and repealing Council Directive 89/686/EEC
Poland	
References	: Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Regulation (EU) No. 2020/878 REGULATION (EU) 2016/425 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 9 March 2016 on personal protective equipment and repealing Council Directive 89/686/EEC
<u>Portugal</u>	
References	: Occupational Health and Safety. Professional exposure limit values for chemical agents (NP 1796 2007) Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Regulation (EU) No. 2020/878 REGULATION (EU) 2016/425 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 9 March 2016 on personal protective equipment and repealing Council Directive 89/686/EEC
<u>Romania</u>	
References	: Order 595-2002 approving technical Regulations regarding spray aerosol containers Governmental Decision 1218-2006 on establishing the minimum requirements of labour safety and health for ensuring the protection of workers against risks connected to the presence of chemical agents Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Regulation (EU) No. 2020/878 REGULATION (EU) 2016/425 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 9 March 2016 on personal protective equipment and repealing Council Directive 89/686/EEC
<u>Slovakia</u>	
References	: Government regulation no. 45/2002 Consolidated to 16 January 2002 on the protection of health at work from chemical agents Government Regulation 301/2007 on the protection of workers from risks associated with exposure to carcinogenic and mutagenic factors Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Regulation (EU) No. 2020/878 REGULATION (EU) 2016/425 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 9 March 2016 on personal protective equipment and repealing Council Directive 89/686/EEC
<u>Slovenia</u>	
References	: Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Regulation (EU) No. 2020/878 REGULATION (EU) 2016/425 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 9 March 2016 on personal protective equipment and repealing Council Directive 89/686/EEC
<u>Spain</u>	

SECTION 15: Regulatory information

References	 Royal Decree 374/2001, protection of the health and safety of workers from the risks related to chemical agents at work ROYAL DECREE 2549/1994. Regulation on aerosol dispensers Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Regulation (EU) No. 2020/878 REGULATION (EU) 2016/425 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 9 March 2016 on personal protective equipment and repealing Council Directive 89/686/EEC
<u>Sweden</u>	
Ordinance on Thermoset Plastics	: Not applicable.
Thermoset plastic waste	: Not available.
Waste group	: 060104*
Flammable liquid class (SRVFS 2005:10)	: Not applicable.
References	 Thermosetting plastics AFS 2005:18 Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Regulation (EU) No. 2020/878 REGULATION (EU) 2016/425 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 9 March 2016 on personal protective equipment and repealing Council Directive 89/686/EEC

International regulations

Stockholm Convention on Persistent Organic Pollutants

List name	Ingredient name	Status
Not listed.		

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

List name		Ingredient name	Status	
Not listed.				
CN code : 2809 20 00 9	90			
Inventory list				
Australia	:	All components are listed or exempted.		
Canada	:	All components are listed or exempted.		
China	:	All components are listed or exempted.		
Eurasian Economic Union	:	Russian Federation inventory: Not determined.		
Japan	:	Japan inventory (CSCL): All components are listed or exempted. Japan inventory (ISHL): Not determined.		
New Zealand	:	All components are listed or exempted.		
Philippines	:	All components are listed or exempted.		
Republic of Korea	:	All components are listed or exempted.		
Taiwan	:	Not determined.		
Thailand	:	Not determined.		
Turkey	:	Not determined.		
United States	:	Not determined.		
Viet Nam	:	Not determined.		
5.2 Chemical safety ssessment	:	This product contains substances for which Chemical Safety Asserequired.	essments are still	

SECTION 16: Other information

Indicates information that	at has changed from previously issued version.
Abbreviations and acronyms	 ATE = Acute Toxicity Estimate CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008] DMEL = Derived Minimal Effect Level DNEL = Derived No Effect Level EUH statement = CLP-specific Hazard statement N/A = Not available PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration RRN = REACH Registration Number SGG = Segregation Group

vPvB = Very Persistent and Very Bioaccumulative

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classification	Justification
	Expert judgment Expert judgment

Full text of abbreviated H statements

<u>Europe</u>			
Full text of abbreviated H statements	:	H290 Ma H302 Ha H314 Ca H318 Ca H319 Ca	ghly flammable liquid and vapour. ay be corrosive to metals. armful if swallowed. auses severe skin burns and eye damage. auses serious eye damage. auses serious eye irritation. ay cause drowsiness or dizziness.
Full text of classifications [CLP/GHS]	:	Acute Tox. 4 Eye Dam. 1 Eye Irrit. 2 Flam. Liq. 2 Met. Corr. 1 Skin Corr. 1B STOT SE 3	ACUTE TOXICITY - Category 4 SERIOUS EYE DAMAGE/EYE IRRITATION - Category 1 SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2 FLAMMABLE LIQUIDS - Category 2 CORROSIVE TO METALS - Category 1 SKIN CORROSION/IRRITATION - Category 1B SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE - Category 3
Date of printing	:	1/03/2024	
Date of issue/ Date of revision	:	1/03/2024	
Date of previous issue	1	1/03/2024	
Version	1	4	

Notice to reader

IMPORTANT NOTE: The information in this Safety Data Sheet is based on the present state of knowledge and current legislation. It provides guidance on health, safety and environmental aspects of the product and should not be construed as any guarantee of technical performance or suitability for particular applications. The information contained in this data sheet (as may be amended from time to time) is not intended to be exhaustive and is presented in good faith and believed to be correct as of the date on which it is prepared. It is the user's responsibility to verify that this data sheet is current prior to using the product to which it relates. Persons using the information must make their own determinations as to the suitability of the relevant product for their purposes prior to use. Where those purposes are other than as specifically recommended in this safety data sheet, then the user uses the product at their own risk.

MANUFACTURER'S DISCLAIMER: the conditions, methods and factors affecting the handling, storage, application, use and disposal of the product are not under the control and knowledge of the manufacturer. Therefore the manufacturer does not assume responsibility for any adverse events which may occur in the handling, storage, application, use, misuse or disposal of the product and, so far as permitted by applicable law, the manufacturer expressly disclaims liability for any and all loss, damages and/or expenses arising out

SECTION 16: Other information

of or in any way connected to the storage, handling, use or disposal of the product. Safe handling, storage, use and disposal are the responsibility of the users. Users must comply with all applicable health and safety laws.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.